FIG. 1





FIG. 2







FIG. 4






FIG. 6

<u>~61</u>
63
INDEX
1
2
3

FIG. 7

INDEX	n TABLE	
	~73	
INFORMATION ACCESS USER NAME	CONTENTS OF PERMISSION SETTING	
USER B	001010101000 · · ·	
USER F	010001010100 · · ·	
USER K		

,81

NO.	PERMISSION OBJECT USER INFORMATION
1	USER ID
2	IM SERVICE ID
3	INVITATION MESSAGE FOR IM SERVICE
4	ID OF TERMINAL 1
5	ONLINE STATUS OF TERMINAL 1

FIG. 9

91\_

92		94
INFORMATION OPEN USER NAME	INFORMATION ACCESS USER NAME	CONTENTS OF PERMISSION SETTING
USER A	USER B	1010010010 · · ·
USER A	USER C	1001001000
USER A	USER D	1010001000 · · ·




FIG. 11A




FIG. 11B




FIG. 12






FIG. 13



----- PATH OF INFORMATION DISCLOSURE SETTING

----- PATH OF SERVICE SIGNAL










FIG. 16





----- PATH OF INFORMATION DISCLOSURE SETTING








FIG. 21






FIG. 22




PATH OF INFORMATION DISCLOSURE SETTING


---- PATH OF SERVICE SIGNAL


FIG. 23




PATH OF INFORMATION DISCLOSURE SETTING
PATH OF SERVICE SIGNAL
PATH OF INFORMATION









-: ALL ARE REFUSED, r: READ IS ALLOWED, w: WRITE IS ALLOWED, x: EXECUTION IS ALLOWED

FIG. 28




FIG. 29

PERMISSION STATE OF USER A FOR USER B

3101 <sub>2</sub>	3101 Z USER ID	OPEN PERMISSION, READ PERMISSION	3111
			0440
3102	MOBILE TELEPHONE NUMBER	OPEN REFUSAL, READ REFUSAL	2 6
2013 2	MOBILE LOCATION INFORMATION	OPEN REFUSAL, READ REFUSAL, WRITE REFUSAL	2 2
2012 5 7	MOBILE COMMUNICATION STATUS	OPEN REFUSAL, READ REFUSAL, WRITE REFUSAL	4118 4118 418
3105 <sub>2</sub>	PDA SIP-URI	OPEN PERMISSION, READ PERMISSION	2 3
3106 <sub>~</sub>	PDA BUSYNESS	OPEN PERMISSION, READ PERMISSION	3116
3107	PDA COMMUNICATION MODE	OPEN PERMISSION, READ PERMISSION	ر القر

	PERMISSION STATE OF US SETTING CHANGE	PERMISSION STATE OF USER A FOR USER B AFTER PERMISSION SETTING CHANGE	
91 کے	3101 2 USER ID	OPEN PERMISSION, READ PERMISSION	3111
3102	MOBILE TELEPHONE NUMBER	OPEN PERMISSION, READ PERMISSION	3112
3103 >	MOBILE LOCATION INFORMATION	OPEN PERMISSION, READ PERMISSION, WRITE REFUSAL	5
3104	MOBILE COMMUNICATION STATUS	OPEN REFUSAL, READ REFUSAL, WRITE REFUSAL	41 اگر 1448
$3105_{>}$	PDA SIP-URI	OPEN PERMISSION, READ PERMISSION	5 5
3106 ×	PDA BUSYNESS	OPEN PERMISSION, READ PERMISSION	2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
3107 <sub>2</sub>	PDA COMMUNICATION MODE	OPEN PERMISSION, READ PERMISSION	ر القر

FIG. 31






FIG. 32





33 / 39 4030 4033 4035 4032 4034 4031 TERMINAL 2 (MOBILE) TEL NUMBER MAIL ADDRESS: xxx@a.ne.jp INFORMATION OF USER A TERMINAL 1 (PDA) ID AVAILAVILITY: BUSY LOCATION: OFFICE USER B PRESENCE SERVER PERMISSION MANAGEMENT UNIT 4034 - TERMINAL 2 (MOBILE) TEL NUMBER MAIL ADDRESS: xxx@a.ne.jp INFORMATION OF USER A TERMINAL 1 (PDA) ID AVAILAVILITY: BUSY 4032 4033 4030 >

----- PATH OF INFORMATION DISCLOSURE SETTING - PATH OF DISCLOSURE INFORMATION


4036

COMMUNICATION STATUS: BUSY

PERMISSION SETTING INFORMATION

COMMUNICATION STATUS: BUSY

LOCATION: OFFICE



----- PATH OF DISCLOSURE INFORMATION
----- PATH OF INFORMATION DISCLOSURE SETTING

FIG. 36


PERMISSION STATE OF USER A FOR USER B


4101 کے	4101 SER ID	OPEN PERMISSION, READ PERMISSION	54111
			7
4102	4102 NOBILE TELEPHONE NUMBER	OPEN PERMISSION, READ PERMISSION	7 5
4103	MOBILE LOCATION INFORMATION	OPEN PERMISSION, READ PERMISSION, WRITE REFUSAL	3
40 3	MOBILE COMMUNICATION STATUS	OPEN PERMISSION, READ PERMISSION, WRITE REFUSAL	7414 115
4105	PDA SIP-URI	OPEN PERMISSION, READ PERMISSION	2 5
4106~	PDA AVAILABILITY	OPEN PERMISSION, READ PERMISSION	0 1
4107 2 PDA MAIL	PDA MAIL ADDRESS	OPEN PERMISSION, READ PERMISSION	4


		54616 -	_	44214			IISSION S4117
a user B after pern	OPEN PERMISSION, READ PERMISSION	OPEN REFUSAL, READ REFUSAI	OPEN REFUSAL, READ REFUSAL WRITE REFUSAL	OPEN REFUSAL, READ REFUSAL, WRITE REFUSAL	OPEN PERMISSION, READ PERMISSION	OPEN PERMISSION, READ REFUSAL	OPEN PERMISSION, READ PERMISSION
SER A FOR	OPEN PE	OPEN RE	OPEN REFUSAL, WRITE REFUSAL		OPEN PE	OPEN PE	OPEN PE
PERMISSION STATE OF USER A FOR USER B AFTER PERMISSION SETTING CHANGE	1012 USER ID	MOBILE TELEPHONE NUMBER	MOBILE LOCATION INFORMATION	MOBILE COMMUNICATION STATUS	PDA SIP-URI	PDA BUSYNESS	PDA COMMUNICATION MODE
	2	102×	5 5 5	5 5 7	ر کر 105	~ 90 L	اے ا

. . . .

FIG. 38







6

